

Metadata

| | |
|---------------|---|
| Metadata ID | 9,255 |
| Contributor | Nurul Nadia Binti Ya'akob |
| Date | 2019-08-20 |
| Ref1 | https://www.ajol.info/index.php/scinat/article/view/42164 |
| Src1 | Ouedraogo, M., Ouedraogo, J. T., Tignere, J. B., Bilma, D., Dabire, C. B., & Konate, G. (2008). Characterization and evaluation of accessions of Bambara groundnut (<i>Vigna subterranea</i> (L.) Verdcourt) from Burkina Faso. <i>Sciences & Nature</i> , 5(2), 191-197. |
| Accuracy Flag | Amber |
| Location | Global |
| Document | NULL |
| Ref2 | NULL |
| Src2 | NULL |
| Accuracy Flag | NULL |
| Location | NULL |
| Document | NULL |
| Ref3 | NULL |
| Src3 | NULL |
| Accuracy Flag | NULL |
| Location | NULL |
| Document | NULL |
| Image | NULL |
| Notes | The value cited from (Minka, Bruneteau, 2000; Amarteifio et al., 2006).* 9256.33.2019-08-20, https://www.researchgate.net/profile/Benoit_Koubala/publication/259978595_Assessment_of_Twenty_Bambara_Groundnut_Vigna_subterranea_L_Verdcourt_Landraces_using_Quantitative_Morphological_Traits/links/54575d9d0cf2cf51648086b6.pdf ,*Gonné, S., Félix-Alain, W., & Benoit, K. B. (2013). Assessment of twenty Bambara groundnut (<i>Vigna subterranea</i> (L.) Verdcourt) landraces using quantitative morphological traits. <i>Intl J Plant Res</i> , 3(3), 39-45. |